

COLLECTION	LVT TYPE	ITEM NUMBER	EAN CODE	DESIGN DESCRIPTION	TOTAL THICKNESS	THICKNESS WEAR-LAYER	SIZE (MM)	WEIGHT	SQM / BOX	PIECES / BOX	BOXES / PALLET	SQM / PALLET
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-022N	8809487843009	German Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-023N	8809487843016	Oxyde Rust	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-024N	8809487843023	Oxyde Grey	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-025N	8809487843030	Waystone Pearl	4,5mm	0,30mm	304,8 x 609,6	6.450 g/m²	2,23	12	60	133,80
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-026N	8809487843047	Waystone Grey	4,5mm	0,30mm	304,8 x 609,6	6.450 g/m²	2,23	12	60	133,80
HOME 30 (ECO 30 HB)	Dry back	OFD-030-167	8809487843320	Manor Oak Natural dark	2,0mm	0,30mm	122 x 610	3.600 g/m²	2,68	36	126	337,68
HOME 30 (ECO 30 HB)	Dry back	OFD-030-174	8809487843337	Sawcut Oak Natural	2,0mm	0,30mm	122 x 610	3.600 g/m²	2,68	36	126	337,68
HOME 30 (ECO 30 HB)	Dry back	OFD-030-177	8809487843344	Soft Oak Greige	2,0mm	0,30mm	122 x 610	3.600 g/m²	2,68	36	126	337,68
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-167	8809487843054	Manor Oak Natural dark	4,5mm	0,30mm	122 x 610	7.100 g/m²	1,49	20	112	166,88
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-174	8809487843061	Sawcut Oak Natural	4,5mm	0,30mm	122 x 610	7.100 g/m²	1,49	20	112	166,88
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-177	8809487843078	Soft Oak Greige	4,5mm	0,30mm	122 x 610	7.100 g/m²	1,49	20	112	166,88
CLASSIC 30 XL	Dry back	OFE-030-001	8809487843597	Prestige Oak White	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-002	8809487843603	Prestige Oak Natural	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-003	8809487843610	Prestige Oak Brown	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-004	8809487843627	Prestige Oak Greige	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-005	8809487843634	Infinity Oak Dark Grey	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-006	8809487843641	Infinity Oak Natural	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-007	8809487843658	Prestige Oak Light Natural	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-008	8809487843856	Prestige Oak Honey	2,0mm	0,30mm	228,6 x 1524	4.870 g/m²	4,87	14	48	233,76
RIGID 30 XL	Rigid Click	OFK-030-001	8809487842705	Prestige Oak White	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-002	8809487842712	Prestige Oak Natural	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-003	8809487842729	Prestige Oak Brown	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-004	8809487842736	Prestige Oak Greige	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-005	8809487842743	Infinity Oak Dark Grey	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-006	8809487842750	Infinity Oak Natural	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-007	8809487842767	Prestige Oak Light Natural	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-008	8809487843849	Prestige Oak Honey	5,0mm	0,30mm	228,6 x 1524	8.000 g/m²	2,78	8	48	133,44
RIGID 55 XL	Rigid Click	RECXL-5531217N	8809487843696	Chêne Gris Mer	6,0mm	0,55mm	225 x 1524	9.300 g/m²	2,06	6	64	131,84
RIGID 55 XL	Rigid Click	RECXL-553126N	8809487843689	Chêne Fumé	6,0mm	0,55mm	225 x 1524	9.300 g/m²	2,06	6	64	131,84
RIGID 55 XL	Rigid Click	RECXL-553672N	8809487843702	Chêne Gris Clair	6,0mm	0,55mm	225 x 1524	9.300 g/m²	2,06	6	64	131,84
RIGID 55 XL	Rigid Click	RECXL-55400A1N	8809487843719	Chêne Moderne Brun	6,0mm	0,55mm	225 x 1524	9.300 g/m²	2,06	6	64	131,84
RIGID 55 XL	Rigid Click	RECXL-5523162N	8809487843726	Chêne Grèze	6,0mm	0,55mm	225 x 1524	9.300 g/m²	2,06	6	64	131,84
RIGID 55 XL	Rigid Click	RECXL-5523163N	8809487843733	Chêne Scandinave	6,0mm	0,55mm	225 x 1524	9.300 g/m²	2,06	6	64	131,84
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-050	8809487844273	Walnut Dark Brown	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-051	8809487844280	Walnut Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-052	8809487844297	Raw Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-053	8809487844303	Flemish Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-054	8809487844310	Flemish Oak Grey	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-055	8809487844327	Old Oak Light Beige	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-056	8809487844334	Old Oak Greige	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-057	8809487844341	Prestige Oak White	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-058	8809487844358	Prestige Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-059	8809487844365	Prestige Oak Light Amber	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-060	8809487844372	English Oak Greige	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-061	8809487844389	English Oak Taupe	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-062	8809487844396	English Oak Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-063	8809487844402	English Oak Warm Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-064	8809487844419	English Oak Honey	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-065	8809487844426	Cerused Oak Dark Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-066	8809487844433	Cerused Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-067	8809487844440	Cerused Oak Dark Brown	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-068	8809487844457	Smoked Pine Brown	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-069	8809487844464	Smoked Pine Black	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-070	8809487844471	Cement Natural	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-071	8809487844488	Cement Dark Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-072	8809487844495	Urban Light Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-073	8809487844501	Urban Beige	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-074	8809487844518	Metal Concrete Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-075	8809487844525	Metal Concrete Brown	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-076	8809487844532	Oxyde Bronze Red	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-077	8809487844549	Oxyde Silver Black	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-078	8809487844556	Oxyde Light Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-079	8809487844563	Oxyde Brown	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-152	8809487844570	Raw Oak Light Natural	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m²	2,60	16	66	171,60
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-159	8809487844587	Prestige Oak Light Amber	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m²	2,60	16	66	171,60
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-161	8809487844594	English Oak Taupe	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m²	2,60	16	66	171,60

COLLECTION	LVT TYPE	ITEM NUMBER	EAN CODE	DESIGN DESCRIPTION	TOTAL THICKNESS	THICKNESS WEAR-LAYER	SIZE (MM)	WEIGHT	SQM / BOX	PIECES / BOX	BOXES / PALLET	SQM / PALLET
LOOM+	Dry back	FR-2104	8809487840640	Accents Brown	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FR-2106	8809487840657	Accents Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2201	8809487840664	Knit Beige	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2203	8809487841364	Knit Blue	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2204	8809487841371	Knit Green	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2206	8809487840671	Knit Brown	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2208	8809487840688	Knit Light Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2209	8809487840695	Knit Dark Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2211	8809487841838	Knit Orange	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2212	8809487840701	Knit Black	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2226	8809487841340	Knit Khaki Green	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM+	Dry back	FT-2227	8809487841357	Knit Slate Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
T-SQUARE	Accessory	ACC-TSQUARE4HB	-	T-Square for herringbones	-	-	-	-	-	1	-	-