



LOOM+ LOCK

Innovative Hybrid Carpet
Flooring Designed for
Modern Living



Meet our latest innovation: the LOOM+ LOCK Hybrid Carpet Flooring Collection!

LOOM+ LOCK is a revolutionary adhesive-free woven vinyl tiles collection designed for offices, hospitality spaces, and quick renovation projects.

Step into a world where comfort meets innovation, as LOOM+ LOCK brings you the perfect blend of the comfortable feel of textile flooring seamlessly fused with the elegance of luxury vinyl tiles.




Melange Grey

OFO-2601
457,2 x 457,2 mm
Thickness: 5mm




Melange Beige

OFO-2603
457,2 x 457,2 mm
Thickness: 5mm




Melange Black

OFO-2605
457,2 x 457,2 mm
Thickness: 5mm




Melange Blue

OFO-2606
457,2 x 457,2 mm
Thickness: 5mm



Easy to install

Effortlessly install, replace, and remove with our distinctive interlocking system. Perfect for raised access floors, it eliminates the telegraphic effect for a flawless finish. **Install overnight without the need for glue**, ensuring a quiet and dust-free process. Enjoy a **clean-cut finishing touch with no fraying**, even during tile cutting. Seamless texture, sleek finish, reminiscent of luxurious broadloom carpet rendering.



Designed For Your Well-being

LOOM+ LOCK is crafted with your well-being in mind, holding an **A+ certification**—the gold standard for indoor air quality. It is **100% free from phthalates, known endocrine-disrupting chemicals**. Experience an extra layer of tranquility with its outstanding sound insulation, creating a peaceful environment. Our innovative flooring also features **antibacterial protection** for a hygienic space and an **anti-slip design** for enhanced safety. Choose LOOM+ LOCK for a holistic solution that prioritizes your health, comfort, and peace of mind.



Sustainable

Joining the eco-conscious movement, LOOM+ LOCK is both **reusable and recyclable**, aligning with your commitment to a greener, more sustainable future.




Durable

LOOM+ LOCK embodies sustainability and durability with a warranty lasting up to 25 years. **Tailored for heavy commercial use, it can withstand significant weight**, making it ideal for spaces such as gyms. Setting a new standard, it is the **pioneer and sole woven flooring with ECOPROTEC™ Anti-Scratch Ceramic PU Coating**. Additionally, it is ultra **water resistant**, offering versatility in various environments.



Easy to clean

Our floors are incredibly easy to clean. Enjoy the peace of mind that comes with a **protective barrier against dirt, scuffs, and stains**, ensuring your floors stay effortlessly beautiful and impeccably maintained. Elevate your living experience with a flooring choice that combines aesthetics with ease of maintenance.



Unlock Your Creativity

LOOM+ LOCK is designed for endless possibilities! Have fun designing your floor with our **mix and match options** and craft a personalised and stylish space.

	STANDARD	LOOM+ LOCK
PRODUCT SPECIFICATIONS		
Product standard	EN 15114	Woven vinyl flooring
Total thickness	EN ISO 24346	5,0 mm
Classification	EN ISO 10874	Domestic: 23 Commercial: 33 / Industrial : 42
Total weight	EN ISO 23997	7.890 g/m ²
Dimensions	-	Tiles: 457,2 x 457,2 mm 10 tiles/box = 2,09m ² 52 boxes/pallet = 108,68m ²
Surface treatment	-	PUR Ecoprotec™
Edges	-	Frayproof (EN 1814)
Fraying	EN 1814	Frayproof
PRODUCT PERFORMANCES		
Dimensional stability	EN ISO 23999	≤ 0,10 %
Castor chair	ISO 4918	No damage
Furniture leg	EN ISO 16581	No damage
Squareness & straightness	EN ISO 24342	≤ 0,25 mm
Residual indentation	EN ISO 24343-1	≤ 0,10 mm
Impact sound reduction	EN ISO 717-2	ΔLw = 9 dB
Light fastness	EN ISO 105-B02	≥ 6
Slip resistance	DIN 51130 EN 13893	R11 DS
Resistance to chemicals	EN ISO 26987	Not affected (O)
Thermal resistance	EN ISO 10456	0,04 m ² K/W
Curl after exposure to heat	EN ISO 23999	≤ 2 mm
Fire resistance	EN 13501-1	Bfl-s1
Electrical properties	EN 1815	≤ 2kV
Resistance against staining	EN 26987	Passed
Underfloor heating suitability	EN 12524	Suitable
ENVIRONMENT & SUSTAINABILITY		
TVOC after 28 days (AgBB test) - Indoor air quality	ISO 16000-9	≤ 100µg/m ³
Plasticizer	-	Phthalate-free
Recyclability	-	100%
WARRANTIES		
Residential warranty	-	25 years
Commercial warranty	-	10 years
CE MARKING		
DOP number	-	LOOM+LOCK_001

CONTACT US

+32 56 41 06 04

info@oneflor-europe.com

