

COLLECTION	LVT TYPE	ITEM NUMBER	EAN CODE	DESIGN DESCRIPTION	TOTAL THICKNESS	THICKNESS WEAR-LAYER	SIZE (MM)	WEIGHT	SQM / BOX	PIECES / BOX	BOXES / PALLET	SQM / PALLET
HOME 30 (ECO 30)	Dry back	OFD-030-060	8809487843085	Origin Concrete Natural	2,0mm	0,30mm	457,2 x 914,4	3.605 g/m ²	5,02	12	58	291,16
HOME 30 (ECO 30)	Dry back	OFD-030-061	8809487843092	Origin Concrete Dark grey	2,0mm	0,30mm	457,2 x 914,4	3.605 g/m ²	5,02	12	58	291,16
HOME 30 (ECO 30)	Dry back	OFD-030-062	8809487843108	Noble Oak Greige	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-063	8809487843115	Royal Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-064	8809487843122	Authentic Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-065	8809487843139	Pure Oak Grey	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-066	8809487843146	Prestige Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-067	8809487843153	Manor Oak Natural dark	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-068	8809487843160	Dockside Oak Natural light	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-069	8809487843177	Sea Oak white	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-070	8809487843184	Traditional Oak Greige	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-071	8809487843191	Traditional Oak Natural light	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-072	8809487843207	Worn Oak Greige	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-073	8809487843214	Painted Wood Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-074	8809487843221	Sawcut Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-075	8809487843238	Sawcut Oak Dark	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-076	8809487843245	Soft Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-077	8809487843252	Soft Oak Greige	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-078	8809487843269	French Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-079	8809487843276	German Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-080	8809487843283	Oxyde Rust	2,0mm	0,30mm	457,2 x 914,4	3.605 g/m ²	5,02	12	58	291,16
HOME 30 (ECO 30)	Dry back	OFD-030-081	8809487843290	Oxyde Grey	2,0mm	0,30mm	457,2 x 914,4	3.605 g/m ²	5,02	12	58	291,16
HOME 30 (ECO 30)	Dry back	OFD-030-082	8809487843306	Waystone Pearl	2,0mm	0,30mm	304,8 x 609,6	3.605 g/m ²	4,46	24	66	294,36
HOME 30 (ECO 30)	Dry back	OFD-030-083	8809487843313	Waystone Grey	2,0mm	0,30mm	304,8 x 609,6	3.605 g/m ²	4,46	24	66	294,36
HOME 30 (ECO 30)	Dry back	OFD-030-084	8809487845805	Cement Terrazzo Beige	2,0mm	0,30mm	457,2 x 914,4	3.605 g/m ²	5,02	12	58	291,16
HOME 30 (ECO 30)	Dry back	OFD-030-085	8809487845812	Cement Terrazzo Grey	2,0mm	0,30mm	457,2 x 914,4	3.605 g/m ²	5,02	12	58	291,16
HOME 30 (ECO 30)	Dry back	OFD-030-086	8809487845829	Fine Oak Amber	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-087	8809487845836	Fine Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-088	8809487845843	Tyrol Oak Honey	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (ECO 30)	Dry back	OFD-030-089	8809487845850	Tyrol Oak Natural	2,0mm	0,30mm	185 x 1219,2	3.605 g/m ²	4,74	21	60	284,40
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-001N	8809487841654	Origin Concrete Natural	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m ²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-002N	8809487841661	Origin Concrete Dark grey	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m ²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-004N	8809487841685	Noble Oak Greige	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-005N	8809487841692	Royal Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-006N	8809487841708	Authentic Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-008N	8809487841722	Pure Oak Grey	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-009N	8809487841739	Prestige Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-010N	8809487841746	Manor Oak Natural dark	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-011N	8809487841753	Dockside Oak Natural light	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-012N	8809487841760	Sea Oak white	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-013N	8809487841777	Traditional Oak Greige	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-014N	8809487841784	Traditional Oak Natural light	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-015N	8809487842934	Worn Oak Greige	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-016N	8809487842941	Painted Wood Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-017N	8809487842958	Sawcut Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-018N	8809487842965	Sawcut Oak Dark	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-019N	8809487842972	Soft Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-020N	8809487842989	Soft Oak Greige	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-021N	8809487842996	French Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-022N	8809487843009	German Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,60	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-023N	8809487843016	Oxyde Rust	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m ²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-024N	8809487843023	Oxyde Grey	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m ²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-025N	8809487843030	Waystone Pearl	4,5mm	0,30mm	304,8 x 609,6	6.450 g/m ²	2,23	12	60	133,80
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-026N	8809487843047	Waystone Grey	4,5mm	0,30mm	304,8 x 609,6	6.450 g/m ²	2,23	12	60	133,80
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-027N	8809487845867	Cement Terrazzo Beige	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m ²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-028N	8809487845874	Cement Terrazzo Grey	4,5mm	0,30mm	457,2 x 914,4	6.450 g/m ²	2,51	6	52	130,44
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-029N	8809487845881	Fine Oak Amber	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,6	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-030N	8809487845898	Fine Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,6	12	40	104,05

COLLECTION	LVT TYPE	ITEM NUMBER	EAN CODE	DESIGN DESCRIPTION	TOTAL THICKNESS	THICKNESS WEAR-LAYER	SIZE (MM)	WEIGHT	SQM / BOX	PIECES / BOX	BOXES / PALLET	SQM / PALLET
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-031N	8809487845904	Tyrol Oak Honey	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,6	12	40	104,05
HOME 30 (SOLIDE CLICK 30)	Rigid Click	OFR-030-032N	8809487845911	Tyrol Oak Natural	4,5mm	0,30mm	177,8 x 1219,2	6.450 g/m ²	2,6	12	40	104,05
HOME 30 (ECO 30 HB)	Dry back	OFD-030-163	8809487845041	Royal Oak Natural	2,0mm	0,30mm	122 x 610	3.600 g/m ²	2,68	36	126	337,68
HOME 30 (ECO 30 HB)	Dry back	OFD-030-167	8809487843320	Manor Oak Natural dark	2,0mm	0,30mm	122 x 610	3.600 g/m ²	2,68	36	126	337,68
HOME 30 (ECO 30 HB)	Dry back	OFD-030-174	8809487843337	Sawcut Oak Natural	2,0mm	0,30mm	122 x 610	3.600 g/m ²	2,68	36	126	337,68
HOME 30 (ECO 30 HB)	Dry back	OFD-030-177	8809487843344	Soft Oak Greige	2,0mm	0,30mm	122 x 610	3.600 g/m ²	2,68	36	126	337,68
HOME 30 (ECO 30 HB)	Dry back	OFD-030-186	8809487845935	Fine Oak Amber	2,0mm	0,30mm	122 x 610	3.600 g/m ²	2,68	36	126	337,68
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-163N	8809487845942	Royal Oak Natural	5,0mm	0,30mm	122 x 610	7.100 g/m ²	1,49	20	98	146,02
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-167N	8809487843054	Manor Oak Natural dark	4,5mm	0,30mm	122 x 610	7.100 g/m ²	1,49	20	98	146,02
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-174N	8809487843061	Sawcut Oak Natural	4,5mm	0,30mm	122 x 610	7.100 g/m ²	1,49	20	98	146,02
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-177N	8809487843078	Soft Oak Greige	4,5mm	0,30mm	122 x 610	7.100 g/m ²	1,49	20	98	146,02
HOME 30 (SOLIDE CLICK 30 HB)	Rigid Click	OFR-030-186N	8809487845959	Fine Oak Amber	5,0mm	0,30mm	122 x 610	7.100 g/m ²	1,49	20	98	146,02
CLASSIC 30 XL	Dry back	OFE-030-001	8809487843597	Prestige Oak White	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-002	8809487843603	Prestige Oak Natural	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-003	8809487843610	Prestige Oak Brown	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-004	8809487843627	Prestige Oak Greige	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-005	8809487843634	Infinity Oak Dark Grey	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-006	8809487843641	Infinity Oak Natural	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-007	8809487843658	Prestige Oak Light Natural	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
CLASSIC 30 XL	Dry back	OFE-030-008	8809487843856	Prestige Oak Honey	2,0mm	0,30mm	228,6 x 1524	4.870 g/m ²	4,87	14	48	233,76
RIGID 30 XL	Rigid Click	OFK-030-001	8809487842705	Prestige Oak White	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-002	8809487842712	Prestige Oak Natural	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-003	8809487842729	Prestige Oak Brown	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-004	8809487842736	Prestige Oak Greige	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-005	8809487842743	Infinity Oak Dark Grey	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-006	8809487842750	Infinity Oak Natural	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-007	8809487842767	Prestige Oak Light Natural	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
RIGID 30 XL	Rigid Click	OFK-030-008	8809487843849	Prestige Oak Honey	5,0mm	0,30mm	228,6 x 1524	8.000 g/m ²	2,78	8	48	133,44
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-050	8809487844273	Walnut Dark Brown	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-051	8809487844280	Walnut Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-052	8809487844297	Raw Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-053	8809487844303	Flemish Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-054	8809487844310	Flemish Oak Grey	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-055	8809487844327	Old Oak Light Beige	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-056	8809487844334	Old Oak Greige	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-057	8809487844341	Prestige Oak White	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-058	8809487844358	Prestige Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-059	8809487844365	Prestige Oak Light Amber	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-060	8809487844372	English Oak Greige	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-061	8809487844389	English Oak Taupe	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-062	8809487844396	English Oak Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-063	8809487844402	English Oak Warm Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-064	8809487844419	English Oak Honey	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-065	8809487844426	Cerused Oak Dark Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-066	8809487844433	Cerused Oak Light Natural	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-067	8809487844440	Cerused Oak Dark Brown	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-068	8809487844457	Smoked Pine Brown	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-069	8809487844464	Smoked Pine Black	2,5mm	0,55mm	184,1 x 1219,2	4.750 g/m ²	4,49	20	40	179,60
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-070	8809487844471	Cement Natural	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-071	8809487844488	Cement Dark Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-072	8809487844495	Urban Light Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-073	8809487844501	Urban Beige	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-074	8809487844518	Metal Concrete Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-075	8809487844525	Metal Concrete Brown	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-076	8809487844532	Oxyde Bronze Red	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-077	8809487844549	Oxyde Silver Black	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-078	8809487844556	Oxyde Light Grey	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56

COLLECTION	LVT TYPE	ITEM NUMBER	EAN CODE	DESIGN DESCRIPTION	TOTAL THICKNESS	THICKNESS WEAR-LAYER	SIZE (MM)	WEIGHT	SQM / BOX	PIECES / BOX	BOXES / PALLET	SQM / PALLET
WORKSHOP 55 (ECO 55)	Dry back	OFD-055-079	8809487844563	Oxyde Brown	2,5mm	0,55mm	457,2 x 914,4	4.750 g/m ²	4,18	10	42	175,56
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-152	8809487844570	Raw Oak Light Natural	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m ²	2,60	16	66	171,60
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-159	8809487844587	Prestige Oak Light Amber	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m ²	2,60	16	66	171,60
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-161	8809487844594	English Oak Taupe	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m ²	2,60	16	66	171,60
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-165	8809487844600	Cerused Oak Dark Natural	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m ²	2,60	16	66	171,60
WORKSHOP 55 (ECO 55 CHEV.)	Dry back	OFD-055-169	8809487844617	Smoked Pine Black	2,5mm	0,55mm	152,4 x 1066,8	4.750 g/m ²	2,60	16	66	171,60
WORKSHOP 55 (ECO 55 HB)	Dry back	OFD-055-252	8809487844723	Raw Oak Light Natural	2,5mm	0,55mm	120 x 600	4.750 g/m ²	2,30	32	80	184,00
WORKSHOP 55 (ECO 55 HB)	Dry back	OFD-055-259	8809487844730	Prestige Oak Light Amber	2,5mm	0,55mm	120 x 600	4.750 g/m ²	2,30	32	80	184,00
WORKSHOP 55 (ECO 55 HB)	Dry back	OFD-055-261	8809487844747	English Oak Taupe	2,5mm	0,55mm	120 x 600	4.750 g/m ²	2,30	32	80	184,00
WORKSHOP 55 (ECO 55 HB)	Dry back	OFD-055-265	8809487844754	Cerused Oak Dark Natural	2,5mm	0,55mm	120 x 600	4.750 g/m ²	2,30	32	80	184,00
WORKSHOP 55 (ECO 55 HB)	Dry back	OFD-055-269	8809487844761	Smoked Pine Black	2,5mm	0,55mm	120 x 600	4.750 g/m ²	2,30	32	80	184,00
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-050	8809487843979	Walnut Dark Brown	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-051	8809487843986	Walnut Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-052	8809487843993	Raw Oak Light Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-053	8809487844006	Flemish Oak Light Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-054	8809487844013	Flemish Oak Grey	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-055	8809487844020	Old Oak Light Beige	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-056	8809487844037	Old Oak Greige	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-057	8809487844044	Prestige Oak White	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-058	8809487844051	Prestige Oak Light Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-059	8809487844068	Prestige Oak Light Amber	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-060	8809487844075	English Oak Greige	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-061	8809487844082	English Oak Taupe	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-062	8809487844099	English Oak Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-063	8809487844105	English Oak Warm Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-064	8809487844112	English Oak Honey	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-065	8809487844129	Cerused Oak Dark Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-066	8809487844136	Cerused Oak Light Natural	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-067	8809487844143	Cerused Oak Dark Brown	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-068	8809487844150	Smoked Pine Brown	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-069	8809487844167	Smoked Pine Black	6,0mm	0,55mm	180 x 1210	10.000 g/m ²	2,18	10	40	87,20
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-070	8809487844174	Cement Natural	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-071	8809487844181	Cement Dark Grey	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-072	8809487844198	Urban Light Grey	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-073	8809487844204	Urban Beige	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-074	8809487844211	Metal Concrete Grey	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-075	8809487844228	Metal Concrete Brown	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-076	8809487844235	Oxyde Bronze Red	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-077	8809487844242	Oxyde Silver Black	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-078	8809487844259	Oxyde Light Grey	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
WORKSHOP 55 (SOLIDE CLICK 55)	Rigid Click	OFR-055-079	8809487844266	Oxyde Brown	6,0mm	0,55mm	470 x 925	10.000 g/m ²	2,17	5	40	86,80
CLASSIC 55 XL	Dry back	OFE-055-001	8809487845669	Old Oak Light Beige	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
CLASSIC 55 XL	Dry back	OFE-055-002	8809487845676	Old Oak Greige	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
CLASSIC 55 XL	Dry back	OFE-055-003	8809487845683	Prestige Oak White	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
CLASSIC 55 XL	Dry back	OFE-055-004	8809487845690	Prestige Oak Light Natural	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
CLASSIC 55 XL	Dry back	OFE-055-005	8809487845706	Prestige Oak Light Amber	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
CLASSIC 55 XL	Dry back	OFE-055-006	8809487845713	English Oak Greige	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
CLASSIC 55 XL	Dry back	OFE-055-007	8809487845720	English Oak Taupe	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
CLASSIC 55 XL	Dry back	OFE-055-008	8809487845737	English Oak Honey	2,5mm	0,55mm	228,6 x 1524	4.750 g/m ²	4,18	12	40	167,20
RIGID 55 XL	Rigid Click	OFK-055-001	8809487845584	Old Oak Light Beige	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60
RIGID 55 XL	Rigid Click	OFK-055-002	8809487845591	Old Oak Greige	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60
RIGID 55 XL	Rigid Click	OFK-055-003	8809487845607	Prestige Oak White	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60
RIGID 55 XL	Rigid Click	OFK-055-004	8809487845614	Prestige Oak Light Natural	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60
RIGID 55 XL	Rigid Click	OFK-055-005	8809487845621	Prestige Oak Light Amber	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60
RIGID 55 XL	Rigid Click	OFK-055-006	8809487845638	English Oak Greige	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60
RIGID 55 XL	Rigid Click	OFK-055-007	8809487845645	English Oak Taupe	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60
RIGID 55 XL	Rigid Click	OFK-055-008	8809487845652	English Oak Honey	7,0mm	0,55mm	228,6 x 1524	12.610 g/m ²	1,74	5	40	69,60

COLLECTION	LVT TYPE	ITEM NUMBER	EAN CODE	DESIGN DESCRIPTION	TOTAL THICKNESS	THICKNESS WEAR-LAYER	SIZE (MM)	WEIGHT	SQM / BOX	PIECES / BOX	BOXES / PALLET	SQM / PALLET
ECOLAY70	Looselay	OFL-070-014	8809487845089	Weathered Oak Natural	5,0mm	0,70mm	228,6 x 1524	8.750 g/m ²	2,09	6	52	108,68
ECOLAY70	Looselay	OFL-070-015	8809487845096	Weathered Oak Charcoal	5,0mm	0,70mm	228,6 x 1524	8.750 g/m ²	2,09	6	52	108,68
ECOLAY70	Looselay	OFL-070-016	8809487845102	Select Oak Natural	5,0mm	0,70mm	228,6 x 1524	8.750 g/m ²	2,09	6	52	108,68
ECOLAY70	Looselay	OFL-070-017	8809487845119	Select Oak Greige	5,0mm	0,70mm	228,6 x 1524	8.750 g/m ²	2,09	6	52	108,68
ECOLAY70	Looselay	OFL-070-019	8809487845133	Brushed Oak Grey	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-020	8809487845140	Brushed Oak Natural	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-021	8809487845157	Brushed Oak Brown	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-022	8809487845164	Heritage Oak Light Natural	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-023	8809487845171	Heritage Oak Natural	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-024	8809487845188	Heritage Oak Honey	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-025	8809487845195	Linear Wood Natural	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-026	8809487845201	Linear Wood Amber	5,0mm	0,70mm	177,8 x 1219,2	8.750 g/m ²	2,17	10	50	108,50
ECOLAY70	Looselay	OFL-070-027	8809487845218	Fino Grey	5,0mm	0,70mm	600 x 600	8.750 g/m ²	2,16	6	40	86,40
ECOLAY70	Looselay	OFL-070-028	8809487845225	Fino Anthracite	5,0mm	0,70mm	600 x 600	8.750 g/m ²	2,16	6	40	86,40
ECOLAY70	Looselay	OFL-070-031	8809487845256	Cement Natural	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLAY70	Looselay	OFL-070-032	8809487845263	Cement Dark Grey	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLAY70	Looselay	OFL-070-033	8809487845270	Terrazzo Light Brown	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLAY70	Looselay	OFL-070-034	8809487845287	Terrazzo Light Grey	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLAY70	Looselay	OFL-070-035	8809487845294	Haven Brown	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLAY70	Looselay	OFL-070-036	8809487845300	Haven Grey	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLAY70	Looselay	OFL-070-037	8809487845317	Scratched Concrete Pearl	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLAY70	Looselay	OFL-070-038	8809487845324	Scratched Concrete Ash	5,0mm	0,70mm	914,4 x 914,4	8.750 g/m ²	2,51	3	40	100,40
ECOLOCK70	Interlocking	OFO-070-015	8809487841975	Sand Grey	5,0mm	0,70mm	914,4 x 914,4	8.000 g/m ²	2,51	3	37	92,87
ECOLOCK70	Interlocking	OFO-070-016	8809487841982	Sand Dark Grey	5,0mm	0,70mm	914,4 x 914,4	8.000 g/m ²	2,51	3	37	92,87
ECOLOCK70	Interlocking	OFO-070-017	8809487845331	Granito Beige	5,0mm	0,70mm	914,4 x 914,4	8.000 g/m ²	2,51	3	37	92,87
ECOLOCK70	Interlocking	OFO-070-018	8809487845348	Granito Greige	5,0mm	0,70mm	914,4 x 914,4	8.000 g/m ²	2,51	3	37	92,87
ECOLOCK70	Interlocking	OFO-070-019	8809487845355	Granito Dark Grey	5,0mm	0,70mm	914,4 x 914,4	8.000 g/m ²	2,51	3	37	92,87
ECOLOCK70	Interlocking	OFO-070-020	8809487845362	Venezia Medium Grey	5,0mm	0,70mm	457,2 x 457,2	8.000 g/m ²	2,09	10	52	108,68
ECOLOCK70	Interlocking	OFO-070-021	8809487845379	Venezia Dark Grey	5,0mm	0,70mm	457,2 x 457,2	8.000 g/m ²	2,09	10	52	108,68
ECOLOCK70	Interlocking	OFO-070-022	8809487845386	Venezia Light Grey	5,0mm	0,70mm	457,2 x 457,2	8.000 g/m ²	2,09	10	52	108,68
LOOM ⁺ (Woven Vinyl)	Dry back	FR-2104	8809487840640	Accents Brown	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FR-2106	8809487840657	Accents Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2201	8809487840664	Knit Beige	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2203	8809487841364	Knit Blue	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2204	8809487841371	Knit Green	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2206	8809487840671	Knit Brown	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2208	8809487840688	Knit Light Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2209	8809487840695	Knit Dark Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2211	8809487841838	Knit Orange	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2212	8809487840701	Knit Black	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2226	8809487841340	Knit Khaki Green	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ (Woven Vinyl)	Dry back	FT-2227	8809487841357	Knit Slate Grey	3,0mm	-	500 x 500	4.950 g/m ²	4,00	16	52	208,00
LOOM ⁺ LOCK (Woven Vinyl)	Interlocking	OFO-2601	8809487845393	Melange Grey	5,0mm	-	457,2 x 457,2	7.890 g/m ²	2,09	10	52	108,68
LOOM ⁺ LOCK (Woven Vinyl)	Interlocking	OFO-2603	8809487845409	Melange Beige	5,0mm	-	457,2 x 457,2	7.890 g/m ²	2,09	10	52	108,68
LOOM ⁺ LOCK (Woven Vinyl)	Interlocking	OFO-2605	8809487845416	Melange Black	5,0mm	-	457,2 x 457,2	7.890 g/m ²	2,09	10	52	108,68
LOOM ⁺ LOCK (Woven Vinyl)	Interlocking	OFO-2606	8809487845423	Melange Blue	5,0mm	-	457,2 x 457,2	7.890 g/m ²	2,09	10	52	108,68